

SprayTekTM Acrylic Overlay

A Versatile High Performance
Solution for Any Concrete Surface

Spray-Tek Components

- Spray-Tek™ Overlay
 - 200 ft² skimmed or sprayed
 - 100 finished ft² per bag
- Polymer/Modifier
 - DuraSet™ 1000/1001
 - Mix 4.5-5 quarts of polymer with one bag of G-100
- C-Series Colorant
 - ¾ cup per 50 lb bag*



- Acrylic concrete restoration and beautification coating designed for:
 - Interior
 - Exterior
 - Commercial
 - Residential
 - Horizontal
 - Vertical




- Spray Texture



- Salt, Alkali, UV, Stain, Oil, Gas, and Grease Resistant
- Freeze/Thaw Resistant
- Permanently seals against water, moisture and erosion
- Outstanding mechanical properties

Spray-Tek Versatile Applications

- Logos



Spray-Tek

Versatile Applications

- Trowel Down



- Wood Look



- Affordable
- Adds protection and resilience that concrete doesn't provide
- Withstands harsh conditions
- Impact resistance, compression, and tensile strength are almost twice that of regular concrete
- Low product investment cost
- Small learning curve

- Added revenue from existing customer base
- Allows you to sell functionality of the product over concrete
- The SprayTek acrylic overlay system is so versatile you can match almost any style or look with one product
- Product not only beautifies, but improves existing concrete



Questions?

- Contact Concrete Coatings @ 800.443.2871
- Email: Josh@concretecoatingsinc.com