



**CONCRETE
COATINGS** INC.TM
restore • re-invent • reviveTM

GraniteLookTM

- Proprietary liquid formula that mixes with our C – Series liquid colorant
- Easily applied with a spray bottle to our micro-topping overlay



- Feature
 - Faux granite finish
- Advantage
 - Less expensive than real granite
- Benefit
 - By offering a cost-effective alternative to granite, your customers will have different options to fit their needs



- Feature
 - Can be applied to various surfaces
- Advantage
 - May be used as a countertop or flooring solution
- Benefit
 - Appeal to wider array of customers



- Feature
 - Choose colors to match existing furnishings
- Advantage
 - Completely custom finish tailored to your customer
- Benefit
 - Save money by building a countertop or floor to match existing interior design



Proper Application

- Remove Existing countertop and rebuild with good quality plywood
- Cover the seams with polyester fiber tape and Duraseam[™]
- Skim, then coat three times with our white smooth-grade micro-topping; Sand.



Proper Application

- Spray base coat with colorant and water. Let Dry.
- Pour GraniteLook™ into five or more spray bottles . Add no more than two ounces colorant to 10 ounces of GraniteLook™ . Utilize at least five or six different colors. Only mix one color per bottle. Do not combine color. Shake well.



Proper Application

- Spritz GraniteLook™ material over the micro topping repeatedly, and at various angles, beginning with the lightest color other than white.
- Repeat this step at least a second time to create additional depth and coverage. *



Proper Application

- Wait 24 hours for the GraniteLook[™] application to dry. Seal with two coats of Shield Epoxy and Durathane or Pro-Tek Polyaspartic





Questions?

- Contact Concrete Coatings @ 800.443.2871
- Email: Josh@concretecoatingsinc.com

